

Supplementary Table 4. Studies Reporting the Clinical Presentation in COVID-19 IBD Patients with Regard to Severity (Hospitalized vs. Non-hospitalized)

Variable	Axelrad et al. ⁵		Gonzalez HA ^a	
	COVID-19 IBD not admitted (n = 78)	COVID-19 IBD admitted (n = 5)	COVID-19 IBD not admitted (n = 103)	COVID-19 IBD admitted (n = 44)
GI symptoms				
Diarrhea	24 (30)	2 (40)	19 (18)	12 (27)
Vomiting	NA	NA	2 (2)	0
Nausea	NA	NA	2 (2)	0
Abdominal pain	NA	NA	19 (18)	12 (27)
Anorexia	NA	NA	NA	NA
Non-GI symptoms				
Fever	52 (66)	3 (60)	84 (82)	42 (95)
Cough	44 (56)	2 (40)	63 (61)	27 (61)
Sore throat	21 (27)	0	NA	NA
Dyspnea	17 (22)	4 (80)	17 (17)	17 (39)
Ageusia	18 (23)	0	15 (15)	3 (7)
Anosmia	25 (32)	0	16 (16)	3 (7)
Fatigue	NA	NA	10 (10)	13 (30)
Myalgia	NA	NA	NA	NA
Running nose	15 (19)	0	NA	NA
Conjunctivitis	NA	NA	NA	NA

Values are presented as number (%).

^aUnpublished data.

COVID-19, coronavirus disease 2019; IBD, inflammatory bowel disease; GI, gastrointestinal; NA, not available.