

**Supplementary Table 2.** Age of Onset, Onset-to-Diagnosis Interval, Longest Hospital Stays, Frequency of Hospitalization and Diagnosis-to-Surgery Interval for the 3 Cohorts

	All periods (2007–2021)	<i>P</i> -value <sup>a</sup>	Cohort I (2007–2011)	<i>P</i> -value <sup>b</sup>	Cohort II (2012–2016)	<i>P</i> -value <sup>c</sup>	Cohort III (2017–2021)
Age at diagnosis (yr)	39 (29–51)	0.843	37 (29–45)	0.580	39 (29–50)	0.721	39 (29–53)
Interval from onset to diagnosis (mo)	1 (1–12)	0.033	2 (1–8)	0.086	3 (1–15)	0.028	2 (1–11)
Frequency of hospitalization (n)	1 (1–3)	0.019	2 (1–4)	1.000	2 (1–4)	0.026	1 (1–3)
Longest hospital stays (day)	11 (7–19)	<0.001	13 (7–22)	0.999	14 (8–22)	<0.001	9 (6–15)
Diagnosis-to-surgery interval (mo)	66 (36–96)	<0.001	144 (132–157)	<0.001	87 (72–103)	<0.001	36 (22–51)

Values are presented as median (interquartile range). All comparisons are performed by one-way analysis of variance, both overall and pairwise.

<sup>a</sup>Overall comparison of all 3 study periods.

<sup>b</sup>Pairwise comparison of cohort i (2007–2011) and cohort II (2012–2016) (Bonferroni correction was used to adjust for multiple comparisons).

<sup>c</sup>Pairwise comparison of cohort ii (2012–2016) and cohort III (2017–2021) (Bonferroni correction was used to adjust for multiple comparisons).